

STONE ALL IN ONE PC





Brand: Stone

Model: All In One PC

Model number: M780-H81I5W8

Date: January, 2014

Form factor: Thin ITX

Display Options: 21.5", 23.6"

Chipset options: H81, Q87

CPU options: Intel Pentium, Intel Core i3/i5/i7 (restrictions apply)

Storage options: 1x 2.5"/3.5" HDD/SSD 1x Slim ODD

Product weight: 10Kg approx



Stone and the environment

As a company we are legally required to satisfy that our products are safe and that risk to the environment is minimised in line with EU regulations. However, at Stone we also feel morally obligated to ensure our products meet or exceed these requirements. We ensure that throughout the entire life cycle, Stone branded products offer exceptional design, energy efficiency and recyclability whilst lowering their environmental impact.

Energy Efficiency

A large portion of greenhouse gas emission results from the use of electronic products. Energy efficiency is a key part of a product's design; each successive generation of technology seeks to improve on energy efficiency. Stone products use high performance, power efficient components combined with Microsoft operating systems, configured with an optimised power profile that will intelligently switch between power states during periods of inactivity.

As a result, Stone products are energy efficient from the moment they are plugged

in and outperform the stringent requirements of the Energy Star program within the European Union.

Desktop computer power profile settingsPeriod of InactivitySystem State10 MinutesDisplay Turns Off30 MinutesEnters Sleep Mode (s3)45 MinutesEnters Hibernate Mode (s4)

Example of power consumption for Stone All In One PC*

<u>Mode</u>	230v Input	Compliance Standard
Idle – Display on (low brightness)	22.16W	Energy Star v5.2
Sleep (s3) WOL enabled	1.38W	Energy Star v5.2
Off (s5) WOL enabled	0.80W	Energy Star v5.2
Idle – Display off	14.88W	
Off (s5) Deep sleep enabled	0.49W	
Hibernate (s4) Deep sleep enabled	0.48W	
No Load	0.24	
PSU average efficiency	87%	Efficiency rating V

Example of typical energy consumption & emissions for Stone All In One PC*

<u>Measurement</u>	Result
ETEC Annual Power Consumption*2	82.1 kWh
Annual Cost @ £0.117 / kWh	£9.60
Annual Carbon Emissions	37Kg CO ² e

Further energy and CO²e reductions can be achieved if system is turned off at the AC outlet or more aggressive power profile settings are configured.

Call 08448 22 11 22

stonegroup.co.uk























STONE ALL IN ONE PC





Acoustic Emissions

As a company dedicated to supplying IT equipment into education and the public sector, it is important that in classroom and office environments noise emissions from our products are minimised. This helps maintain pleasant working conditions as well as addressing health and safety concerns.

Example of noise emissions for Stone All In One PC*

<u>Mode</u>	Declared A-weighted sound power level ∠ _{WAd} dB (A) *3	<u>Declared A-weighted sound</u> <u>pressure level at operator</u> <u>position</u> <u>dB (A)</u> *3
Idle	31.5	23.0
HDD Operating	33.3	25.0



Thermal Output

All electronic equipment produces heat as a by-product during operation. We have provided the below data to allow building managers and thermal engineers to ensure sufficient cooling and maintain acceptable ambient temperatures.

Example of heat output for Stone All In One PC*

<u>Mode</u>	BTU/h
Idle	75.61
Load (100% utilisation)	329.23

Restricted Substances

All Stone branded products are RoHS compliant as statutory under CE requirements.

Technical files and supplier test / certification documents demonstrating conformance are held on product components.

The following materials in Stone products are restricted as follows:



RoHS Restricted Materials

North Nest Teted Waterials	
<u>Material</u>	Max Content of total weight
Lead	0.1%
Cadmium	0.01%
Hexavalent Chromium	0.1%
Polybrominated Biphenyl (PBB)	0.1%
Polybrominated Diphenyl Ethers (PBDE)	0.1%
Mercury	0.1%

Call 08448 22 11 22

stonegroup.co.uk























STONE ALL IN ONE PC





Ozone Depleting Materials

Material	<u>Content</u>
Chloroflourocarbons (CFC)	None Used
Hydrobromofluorocarbons (HBFC)	None Used
Hydrochlorofluorcarbons (HCFC)	None Used
Hydrobromofluorocarbons (HBFC)	None Used
Halons	None Used
Carbontetrachloride	None Used
Trichloroethane	None Used
Methyl Bromide	None Used



Product Safety

An important part of product design is adhering legal requirements in force throughout the European Union.

These directives ensure that electrical equipment meets strict safety requirements so that the products can be used safely in applications for which they were made.

All Stone products are compliant with the applicable CE directive and labelled accordingly. Technical files are and supplier test / certification documents are held on product components.

CE Directives

<u>Products comply with following requirements:</u>

- LVD Directive 2006/95/EC EN60950-1:2006/A2:2013
- EMC Directive 2004/108/EC EN50561-1:2013, EN55024:2010, EN61000-3-2:2006+A2:2009, EN61000-3-3:2013
- R&TTE Directive 99/5/EC EN 301 489-1 V1.9.2, EN 301 489-17 V2.2.1, EN 301 893 V1.7.1, EN 300 328 V1.8.1, EN 623311:2008
- Eco Design Directive 2009/125/EC (EC) No 617/2013, (EC) No 278/2009
- Directive 2011/65/EU Restriction of Hazardous Substances Directive

Call 08448 22 11 22

stonegroup.co.uk

























STONE ALL IN ONE PC






Materials Selection

Products

It is important that our products begin their life by meeting key criteria relating to the composition of the materials used in their manufacture. As a leading UK IT configurator & recycler Stone pledges to affirm that at the end of our products life, those component materials pose the minimum risk possible to the environment and can be handled safely with much of the product being suitable for recycling or reuse.

- Plastic parts >25g forming the enclosure are halogen free.*⁴
- Plastic parts forming the enclosure are free from substances/preparations which are classified as R40, R45, R46, R48, R50, R51, R53, R60, R61 and any combination of these.
- Plastic parts forming the enclosure do not have surface coatings that are incompatible with recycling methods.
- Plastic enclosure parts >100g consist of one material.
- All plastic enclosure parts >25g having material codes according to ISO 11469 (referring ISO 1043).
- Plastic enclosure parts are free from metal inlays and molded in metal components or can easily be removed with common tools.
- Labels are easily separable (This does not apply to safety or regulatory labels).
- Product does not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain.
- Product does not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations.
- Cell Button battery contained within the product is a lithium manganese dioxide CR2023 with mercury content less than 2% of battery weight.
- Glass used for the integrated display of this device is lead and arsenic free.
- The light source used in the products LCD display is mercury free.
- A majority of the product is made from materials which are desired by recyclers or PC refurbishing operators:



Materials are reusable, recyclable or recoverable via a variety of processes.

Call 08448 22 11 22

stonegroup.co.uk























STONE ALL IN ONE PC





Packaging

To reduce packaging volume Stone reuses original shipping cartons. Our All in One cardboard packaging cartons are produced from 80% recycled fibre content. Packaging also contains less than 100ppm heavy metals as required by EU packaging regulations.

Stone All In One PC individual packaging

Material	Shipping weight
Corrugated cardboard	1129g
PE open cell foam	716g
EPE foam bag	24g
Other plastic (security tape and accessory bag)	15g
Total	1884g

Stone All In One PC bulk packaging

Reusable bulk packaging options are also available for many Stone products. Unfortunately due to the physical size and shape of this product it is not feasible to offer a bulk packaging service.

While every effort was made to provide a solution, the cost and total amount of packaging required to properly protect such a premium product meant that there was no real benefit.

However Stone continue to seek an environmentally conscious bulk packaging solution for this product and in future hope to provide this option.



Product Life Cycle

Stone products are of modular design allowing ease of both repair and upgrade of individual parts to extend the overall life of the product.

To aid product life extension these modular components can be replaced using commonly available tools allowing persons with basic knowledge of computer hardware to perform these tasks.





Stone provide next day on-site warranty support for up to 5 years on its products. Stone can also provide an out of warranty repair service from its approved repair centre with spare or replacement parts available for up to 5 years from date of manufacture.

Online customer advice, driver downloads and updates are available the Stone Knowledge base: http://kb.stonegroup.co.uk/

Call 08448 22 11 22

stonegroup.co.uk























STONE ALL IN ONE PC





Stone Recycling Brochure



Book a Recycling Collection



Recycling

Waste Electrical & Electronic Equipment (WEEE)

Stone have fully embraced their obligation under WEEE Regulations as a producer and is the only UK IT configurator providing its own onsite treatment facility for redundant IT equipment (WEEE).

Stone will collect all redundant IT equipment from any source (FOC) and assure secure and ethical treatment of the equipment.

Stone primarily targets the reuse of received WEEE and secondarily the recovery of recyclable materials.

Stone operates a zero landfill policy.

Recycling brochure and approvals:

http://www.stonegroup.co.uk/sustainability/recycling.aspx

E mail: recycling-enquiries@stonegroup.co.uk

Collections of redundant equipment can be arranged via online request system: http://www.stonegroup.co.uk/sustainability/recycling/book-a-recycling-collection.aspx

Collections can be coordinated with new product deliveries in order to maximize transport use and reduce emissions.

Stone Products

Stone products facilitate best practice recycling and are easily disassembled, offering opportunity for repair, reuse or segregation of components and material types.

- Plastic parts forming the enclosure do not have surface coatings that are incompatible with recycling methods.
- Plastic enclosure parts >100g consist of one material.
- All plastic enclosure parts >25g having material codes according to ISO 11469 (referring ISO 1043).
- Plastic enclosure parts are free from metal inlays and molded in metal components or can be removed easily with common tools.
- Labels are easily separable (This does not apply to safety or regulatory labels).
- A majority of the product is made from materials which are desired by recyclers or PC refurbishing operators.

Stone Recycling mechanical and manual disassembly methods ensure that materials are segregated and passed on to approved processors for the recovery and reuse of materials where direct reuse is not technically viable.

Call 08448 22 11 22

stonegroup.co.uk























STONE ALL IN ONE PC



Stone Packaging

Stone standard packaging is recyclable as follows:

Stone All In One PC individual packaging

<u>Material</u>	<u>Recyclable</u>
Corrugated cardboard	Yes
PE open cell foam	Yes
LDPE foam bag	Yes
Other plastic (security tape and accessory bag)	Accessory bag only
Total	99%

Stone All In One PC bulk packaging

As stated above, due to the physical size and shape of the product it is not feasible to offer a bulk packaging service for the All In One PC.

Stone can still offer a packaging take-back service and full install to desk services with returned packaging being reused or segregated for recycling.

Appendix 1

* Product evaluation and statistical examples are based on Stone All In One PC with the following hardware specification:

System Specification
Stone Black and Chrome 23.6" All In One Chassis
H81 Chipset based motherboard
Intel Core i5 S processor
4GB DDR3 1600Mhz memory
120GB 2.5 inch Solid State Drive
24x Speed Dual Layer DVDRW

^{*2} Energy Star Typical Energy Consumption (ETEC) is an internationally recognised method of calculating yearly energy consumption for electronic equipment, which was introduced in the United States by the EPA and adopted by the European Union and other territories.

Call 08448 22 11 22

stonegroup.co.uk























^{*3} Data represents the standard Stone system listed in Appendix 1; configured with one single hard drive in the primary mounting location. If additional hard drives are added or the existing hard drive is mounted in a secondary location, this would affect the result.

^{*4} Halogen Free: A material is defined as halogen free if it contains less than 900 parts per million (ppm) of bromine and of chlorine (or 1500ppm combined total).



STONE ALL IN ONE PC



Definitions

Energy efficiency terms: The energy values in this report are based on the ENERGY STAR Program Requirements for Computers Version 5.2 and/or ENERGY STAR program requirements for Single Voltage External AC-DC and AC-AC Power Supplies Version 2.0. For more information, visit www.energystar.gov.

- **Idle—Display on**: System is on and has completed loading OS; the display is turned on (only applicable to systems with integrated displays).
- **Idle—Display off**: System is on and has completed loading OS; the display is turned off (only applicable to systems with integrated displays).
- Idle: System is on and has completed loading OS.
- Sleep: Low power state that is entered automatically after 30 minutes of inactivity, or by selecting Sleep from the shutdown menu within the operating system. Wake on LAN is enabled by default with all shipped systems.
- Off: Lowest power mode when the system is shut down, also referred to as Standby.
- **Hibernate**: Similar to Off power mode, with a faster resume capability by loading a cache file from the hard drive containing data previously stored in memory.
- **Power supply efficiency**: Average of the internal power supplies measured efficiency when tested at 100 percent, 75 percent, 50 percent, and 25 percent of the power adapter's rated output power (only applicable to systems with internal power supplies).
- **Power adapter, no-load**: Condition in which the power adapter is connected to AC power, but not connected to the system (only applicable to systems with external power supplies).
- **Power adapter efficiency**: Average of the power adapter's measured efficiency when tested at 100 percent, 75 percent, 50 percent, and 25 percent of the power adapter's rated current (only applicable to systems with external power supplies).

Note: Deep sleep is a BIOS option which disables power consuming features such as WOL allowing the system to consume less power in Off and Hibernate power modes. By default all Stone systems are shipped with WOL enabled as network wake capability is a required feature of the product within our customer base. All systems are ErP 2013 capable.

Supplier makes no representations, guarantees, assurances or warranties expressed or implied regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information going forward. The information provided here is approximate and for informational purposes only based on the stated specification in the appendix.

Call 08448 22 11 22

stonegroup.co.uk



















