



Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Stone	Logo
Company name *	Stone Group	
Contact information * e-mail address	Sustainability & Compliance Team sustainability @stonegroup.co.uk	stone
Internet site *	www.stonegroup.co.uk	
Additional information		

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.						
Type of product *	Desktop					
Commercial name *	StonePC Expert					
Model number *	Q570i5M16S1iG					
Issue date *	17/03/2021					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☒ Other <i>United Kingdom</i>					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	Q570i5M16S1iG	Logo	
Issue date *	17/03/2021		stone

Product e	environmental attributes - Legal requirements	Requirer	ment met
Item		Yes	No n.a.
P1	Hazardous substances and preparations		
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes	
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.		
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/week$ (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):		
P2	Batteries		
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes	
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)		
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)		
P3	Conformity verification & Eco design (ErP)		
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): sustainability@stonegroup.co.uk		
P3.2*	The product complies with the applicable Eco design requirements for energy-related products, (see legal reference).		
	Required information is; given in item P15 or added to this document,		
P5	available at (add URL): Product packaging		
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and		
	hexavalent chromium by weight of these together.		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		
	Comment: Legal reference has no maximum concentration values.		
P6	Treatment information		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	Q570i5M16S1iG	Logo	
Issue date *	17/03/2021		stone

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		H	H
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		∺	\overline{H}
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\square	∺	H
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		H	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	$\overline{\Box}$
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools			
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: SGCC Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	· []		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See ⁵ NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	Q570i5M16S1iG	Logo	
Issue date *	17/03/2021		stone

Product	environmental att	ributes - Market re	equirements (conti	nued)		Requir	eme	nt met
Item						Yes	No	n.a.
	Material and subst	tance requirements ((continued)					
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the p	roduct (See NOTE B6):			
	 a) Of total plastic percentage of 				content (calculated as a			
	or b) The weight of r	recycled material is	a.					
P7.21*	Biobased plastic ma	aterial content is used	in the product (See N	OTE B7):				
	 a) Of total plastic of total plastic or 	parts' weight > 25 g, by weight) is %			ulated as a percentage			
P7.22*		the biobased plastic m	less than 0,1 mg/lamp			$\overline{}$		
	If mercury is used s	pecify: Number of lam	nps: and maxim	ium mercury content p			<u> </u>	
P7.23*	•	an integral display, the	e total mercury content	t in the integrated disp	lay: mg		Ш	
P8	Batteries	1.1						
P8.1*	Battery chemical co	mposition: <i>Lithium M</i>	langanese Dioxide (C	CR2023)				
P9	Energy consumpti							
P9.1	For the product the	following power levels	s or energy consumpti	ons are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard f modes and test metho		У	
	Category D ar 7.1 – Category I3							
	- WOL Enabled			17.68 W	EvD Lot 2.9 omissels			
Short idle -	- WOL Enabled			77.08 VV	ErP Lot 3 & equivale Energy Star® 7.1	ent to		
Long Idle -	- WOL Enabled			17.42 W	Equivalent to Energ	y Star®	7.1	
Sleep – W	OL Enabled			1.12 W	ErP Lot 3 & equivale Energy Star® 7.1	ent to		
Sleep – W	OL Disabled			1.03 W	ErP Lot 3			
Off – WOL	Enabled			0.57 W	ErP Lot 3 & equivale Energy Star® 7.1	ent to		
Off – WOL	Disabled			0.33 W	ErP Lot 3			
Lowest Po	wer Mode			0.33 W	ErP Lot 3			
charger plu	ower supply / ugged in the wall disconnected from							
PTEC * Typical En	ergy Consumption							
ETEC * Annual En	ergy Consumption			72.89 kWh/year	Equivalent to Energ Network Connectivi			

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

ETEC			65.18 kWh/year	ErP Lot 3		
Annual Energy Consumption						
External Power Supply Efficient	ency Level (Internationa	Efficiency Marking Pro	otocol) *:			3
Display resolution *:	negapixels					<u> </u>
Default time to enter energy	ave mode: 30 minutes	3				
P9.2* Information abou	the energy save functi	on is provided with the	product.		\boxtimes	
P9.3 Energy efficiency	class (monitors only):					3

Model number *	Q570i5M16S1iG	Logo	
Issue date *	17/03/2021		stone

Product	environmental	attributes - Market requirements (conti	nued)	Require	ment	met
Item				Yes	No	n.a.
P10	Emissions					
		 Declared according to ISO 9296 (See NOTE) 				
P10.1	Mode	Mode description	Declared A-weighted sound pressure level	el (dB), L_{pAl}	n	
	Idle	* Fans on, system idle	* 19.3			
	Operation	* Fans on, Active load on CPU/GPU/RAM	* 28.0			
	Other mode					
	Measured accord	ding to: 🔀 ISO 7779 🔲 ECMA-74				
		Other (only if not covered by	/ ECMA-74)			
	Electromagneti					
P10.4	program(s):	y meets the requirement for low frequency elec-	romagnetic fields of the following voluntary			
P12		r computing products				
P12.1*		ets the ergonomic requirements of ISO 9241-307				\boxtimes
P12.2*	The physical inp	ut device meets the requirements of ISO 9995 a	and ISO 9241-410.			\boxtimes
P13	Packaging and					
P13.1*		ng material type(s): PAPER/Corrugated	weight (kg): 0.825			
		ng material type(s): PAPER/Paper	weight (kg): 0.840 weight (kg): 0.020			
P13.2*		ng material type(s): PLASTIC/Polyethylene orimary packaging is free from PVC.	weight (kg). 0.020			$\overline{}$
P13.3*	· ·	nary corrugated fiberboard packaging, specify th	o contained percentage of minimum post			+
	consumer recove	ered fiber content: 100 %	e contained percentage of millimum post-			<u> </u>
P13.4*		or user and product documentation (tick box): Paper , Other				Ш
P13.5		nplete this item if paper documentation used) at documentation on paper media is chlorine-free pecify:	э:			
	Totally chlorine-f	free				
	Elemental chlori	ne-free				
	Processed chlori	ine-free				
P14	Voluntary progr					
P14.1	The product mee	ets the requirements of the following voluntary p	rogram(s):			
	ENERGY STAR	® Criteria version: D	ate: Product category:			
	Eco-label:		ate: Product category:			
	Eco-label:	Criteria version: D	ate: Product category:			
P15		rmation (See NOTE B10)	and and an an analysis			
P5.2	Internal paper of	packaging carries recyclable and recycled co corrugated packaging does not require mark packaging carries markings.				
P9	Energy consum	nption of specific configuration may vary; de t, Q570, i5-11500, 16GB RAM, 500GB SSD, 2		ation:		
P9	Power saving c	configurations may result in a tradeoff of per	formance, or disabling of features.			
P9	Product achieve where the programmer	res compliance with Energy Star® 7.1. The program operates.	oduct is not offered for sale in any geog	raphical re	gion	
All Sections	information con All information completion, and	s no representations, guarantees, assurance ntained in this document, which may contain provided by supplier in this document is pro d supplier shall have no obligation to update	typographical errors and technical inac ovided based on supplier's knowledge av	curacies.		
All sections	Use of names of	or trademarks is for reference only.				
3000013						

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

	Lot 3 – No. 617/2013								
		Manufacturer pi	odu	ct information					
(a)	Product type	Desktop Computer	(a)	Category	D				
(b)	Manufacturer's name	Stone Group	(c)	Manufacturer's address	Granite one hundred, Acton gate, Stafford, ST189AA				
(d)	Product model number	Q570i5M16S1iG	(d)	Year of manufacture	2021				
(e)	Etec value (kWh) with dGFX disabled/not present	65.18	(f)	Etec value (kWh) with dGFX enabled	Not Applicable				
(g)	Idle power (W)	17.68	(h)	Sleep power, WOL disabled (W)	1.03				
(i)	Sleep power, WOL enabled (W)	1.12	(j)	Off power, WOL disabled (W)	0.33				
(k)	Off power, WOL enabled (W)	0.57	(1)	Internal PSU efficiency at 10% / 20% / 50% / 100%	77.73% / 82.58% / 85.66% / 82.78% at 230VAC				
(m)	External PSU average active efficiency	NA	(n)	Noise level (A- weighted)	Idle: 19.3 Active: 28.0 Declared A-weighted sound pressure level (dB), L _{pAm}				
(0)	Minimum number of loading cycles batteries can withstand (notebooks only)	NA	(p)	Measurement methodology used:	(e) to (k) IEC 62623 Edition 1.0 2012-10 - Desktop and notebook computers - Measurement of energy consumption (I) Generalised Test Protocol for Calculating the Energy Efficiency of Internal Ac-Dc and Dc-Dc Power Supplies Revision 6.6 (April, 2012) (n) ISO 7779:2010 - Measurement of airborne noise emitted by information technology and telecommunications equipment.				
(q)	Sequence of steps for achieving a stable condition with respect to power demand	Refer to EC 62623 Edition 1.0 2012-10 - Desktop and notebook computers - Measurement of energy consumption. For test sequence of specific modes, refer to the Test Setup section of the EC 62623 Edition 1.0 2012-10.	(r)	Description of how Sleep and/or Off was selected or programmed	Inbuilt operating system power management features are pre-set to take advantage of hardware ACPI support. Ref Document 2, Section 1.				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode	For Sleep Mode, the computer must be left alone (no user or network activity) for a period of time (up to 30 minutes). For Off Mode, the PC must be shut off through use of the Operating System Software (Press "Start", and select "Shut down) to allow the computer to shut off.	(t)	Time in idle before going to sleep mode	30 minutes				
(u)	Time to power mode less demanding than sleep	15 minutes after sleep mode activates	(v)	Default time to display sleep mode	10 minutes after the system becomes idle or the last user input				
(w)	User information on power management	Ref Document 2, Sections 1, 2 & 3, user manual and website.	(x)	User information on how to access power management	Ref Document 2, Sections 1, 2 & 3, user manual and website.				
(y)	Content of mercury in integrated displays (mg)	NA	(z)	Test parameters, Voltage (V)	Energy Efficiency testing is performed with an AC input of 230 (± 1%) Volts AC, 50 Hz (± 1%). Test information including required instrumentation, setup etc. for Computers is detailed in EC 62623 Edition 1.0 2012-10 - Desktop and notebook computers - Measurement of energy consumption. Test information including required instrumentation, setup etc. for Internal Power Supplies is detailed in Generalized Test Protocol for Calculating the Energy Efficiency of Internal Ac-Dc and Dc-Dc Power Supplies Revision 6.6 (April, 2012). Test information including required instrumentation, setup etc. for External Power Supplies is detailed in): EN 50563:2011 - External a.c d.c. and a.c a.c. power supplies – Determination of noload power and average efficiency of				

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	